Novaform[®]


WALLS

Novaform is a versatile, effective, and reliable acoustic solution that can be applied to walls with ease. The panels not only help to absorb sound reverberation and transfer, but also improve the aesthetics of the office, providing a positive environment for staff to communicate and collaborate.



SPECIFICATIONS

MATERIAL	100% Polyester (60% recycled polyester fiber, 40% virgin polyester)
COLORS	24 standard Novaform Colors (see page 2)
THICKNESS	12mm & 24mm
SHEET SIZE	Maximum 1225mm x 2800mm (4' x 9')
FIRE RATING	ASTM E 84 - Class A
NRC	From 0.45 - 0.85 (subject to application)
APPLICATION	Indoor Only
FABRICATION	CNC cut or utility knife on site
CARE INSTRUCTIONS	Vacuum to remove dust Remove spills immediately using a clean damp cloth or with soap and water Carpet and fabric cleaners can be used - always test an inconspicuous area first



Novaform

CEILINGS

The ceilings of an office are an important consideration in terms of the acoustic environment, and Novaform has it covered.


Whether it's used vertically as a baffle or a lattice raft, or horizontally as a cloud raft, Novaform always provides effective sound absorption and deflection.




SPECIFICATIONS

MATERIAL	100% Polyester (60% recycled polyester fiber, 40% virgin polyester)
COLORS	24 standard Novaform Colors (see last page)
THICKNESS	12mm & 24mm
SHEET SIZE	Maximum 1225mm x 2800mm (4' x 9')
FIRE RATING	ASTM E 84 - Class A
NRC	From 0.45 - 0.85 (subject to application)
APPLICATION	Indoor Only
FABRICATION	CNC cut or utility knife on site
CARE INSTRUCTIONS	Vacuum to remove dust Remove spills immediately using a clean damp cloth or with soap and water Carpet and fabric cleaners can be used - always test an inconspicuous area first

Baffles



Clouds



Novaform

SCREENS


The move towards open plan flexible workspace makes Novaform screens the perfect solution for breaking up an office environment and at the same time addressing associated acoustic issues.

SPECIFICATIONS




MATERIAL	100% Polyester (60% recycled polyester fiber, 40% virgin polyester)
COLORS	24 standard Novaform Colors (see last page)
THICKNESS	12mm & 24mm
SHEET SIZE	Maximum 1225mm x 2800mm (4' x 9')
FIRE RATING	ASTM E 84 - Class A.
NRC	0.45 - 0.85
APPLICATION	Indoor Only
FABRICATION	CNC cut or utility knife on site
CARE INSTRUCTIONS	Vacuum to remove dust Remove spills immediately using a clean damp cloth or with soap and water Carpet and fabric cleaners can be used - always test an inconspicuous area first


Hanging



Freestanding

Folded





Novaform

DESKTOP DIVIDERS


Whether for privacy or simple visual separation of workspaces, Novaform desktop dividers can provide some privacy while still maintaining an open concept feel. Mix and match different styles and functional options. Available in 13 standard colors and various custom sizes.



SPECIFICATIONS

MATERIAL	100% Polyester (60% recycled polyester fiber, 40% virgin polyester)
COLORS	24 standard Novaform Colors (see page 2)
THICKNESS	12mm & 24mm
SHEET SIZE	Maximum 1225mm x 2800mm (4' x 9')
FIRE RATING	ASTM E 84 – Class A
NRC	From 0.45 - 0.85 (subject to application)
APPLICATION	Indoor Only
FABRICATION	CNC cut or utility knife on site
CARE INSTRUCTIONS	Vacuum to remove dust Remove spills immediately using a clean damp cloth or with soap and water Carpet and fabric cleaners can be used - always test an inconspicuous area first

Confidential



Privacy

