











### Sagano

Bamboo forests leave an indelible mark on their visitors. These remarkable plants are known for their accelerated growth habits and material flexibility, but encountered by the thousands in a forest setting, they manifest a distinctive sense of place through their unique visual cadence and meditative auditory soundscape.

Novaform's Sagano canes draw inspiration from the towering bamboo groves of Japan's Sagano Forest, with its repeated vertical linear language and its overall sense of tranquility, peace, and balance.



## Design

Sagano is a series of panelized, textile-wrapped foam canes that will easily transform any wall. Standard canes and beveled "Beberu" canes come in typical widths and suggested preassembled patterns, or "Stacks". Custom cane and pattern stack options are available as well.

Sagano stacks come preassembled in units ranging from 18" to 36" wide to allow for a quick, consistent installation. Canes can be wrapped with Novaform felt, Novaform-partner felt, or most commercial fabrics. Please consult with us on suitability of COM selections.

### **Dimensions** Components Varies by Pattern Foam Beberu Cane Cleats or **Snap Clips** on back Standard Cane MDF 96" TYP Backer 120" MAX Textile Wrap Pattern Stack Stack Elevation Dims **Options** Cane Plan Dims Custom profiles & Stack patterns Cleats will add 1/2" to overall depth and 146 Felt colors require a 3/8" reveal at ceiling Covered ends

#### **Environmental Commitment**

Novawall Systems, Inc. is committed to our clients' needs and offers a product line that will promote the design and implementation of a healthy sustainable building with minimal impact on the environment, while remaining in complete compliance with fire and safety codes as well as maintaining superior product quality.

Novaform 3mm PET felt is made from solution-dyed 100% recycled polyester.



# **Individual Canes**

Standard Beberu Profile Profile

(no bevel) (beveled)




Cane Widths & Elevations	Cane	Standard (S)	Beberu (B)						
			а	b	С	d	е	f	
	Elev.								
	Width		Designation						
	2.25"	\$2	B2a	B2b	B2c	B2d	B2e	B2f	
	3"	\$3	ВЗа	B3b	B3c	B3d	ВЗе	B3f	
	4.25"	\$4	B4a	B4b	B4c	B4d	B4e	B4f	

#### Standard Profile Beberu Profile 4.25" 2.25" 3" 4.25" 2.25" 3" 4.25" 2.25" 3" 4.25" 2.25" 3" 4.25" 2.25" 3" 4.25" 2.25" 2.25" 3" 4.25" 96" TYP 96" TYP 120" MAX 120" MAX S2 S3 B2a B3a B4a B2b B3b B4b B2c B3c B4c B2d B3d B4d B2e B3e B4e B2f B3f B4f f b d а C е


# Pattern Stacks


Contact Novaform for Pattern Stack cut sheets

### Sagano Stack A












Sagano Stack B












Sagano Stack C












# Pattern Stacks

Contact Novaform for Pattern Stack cut sheets

### Sagano Stack D











### Sagano Stack E














### Sagano Stack F














# Specs

Product	Sagano Canes		
Application	Walls, indoor only		
Materials	MDF, Wood, Foam, and Textiles		
Colors	25 Felt Options from Novaform's 3mm PET Felt		
	19 Felt Options from Guilford of Maine's 9900 Series		
	102 Felt Options from Gabriel's Hush, Soul, & Soul Melange Series		
	50 Fabric Options from Camira's Blazer series		
	COM upon approval		
Covered Ends	Available upon request		
Custom	Variations available, request pricing		
Cane Length	96" TYP, 120" Max		
Cane Width	Standard 2.25", 3", and 4.25" (nominal)		
Stack Width	Varies by pattern, TYP 18" to 36"		
Thickness	Varies by cane width and mounting method		
Mounting	French Cleats (3/8" throw) or Snap Clips		
Maintenance	Vacuum to remove loose dust		
	Clean with warm water, a white rag, and clear mild dish detergent - spot test first, avoid rubbing aggressively		
Colorfastness	Per fabric specifications		


# Installation & Instructions



Cleats are directly fastened to Sagano Stacks with screws. Matching cleat is attached directly to the wall.

- or -

Female Snap Clips are countersunk into the back side of Sagano Stacks. Male counterparts are attached to wall mounted furring strips.



# Novaform Felts

### PET Felt Colors (3mm)

Novaform 3mm PET felt is made from solution-dyed 100% recycled polyester.





#### Felt Color Palettes - Camira

Camira Blazer felts are 100% wool.



Contact Camira at memos@camiragroup.com for samples. Download color cards @ www.camirafabrics.com



#### Felt Color Palettes - Camira

Camira Blazer Lite felts are 100% wool.



Contact Camira at <a href="mailto:memos@camiragroup.com">memos@camiragroup.com</a> for samples. Download color cards @ <a href="mailto:www.camirafabrics.com">www.camirafabrics.com</a>



#### Felt Color Palettes - Camira

Camira Sonus felts are Polyester, Nylon, Viscose blend.



Contact Camira at <a href="memos@camiragroup.com">memos@camiragroup.com</a> for samples. Download color cards @ <a href="memos@camiragroup.com">www.camiragroup.com</a> for samples.



#### Felt Color Palettes - Camira

Camira Synergy felts are 95% wool, 5% Nylon.



Contact Camira at <a href="memos@camiragroup.com">memos@camiragroup.com</a> for samples. Download color cards @ <a href="memos@camiragroup.com">www.camiragroup.com</a> for samples.



### Felt Color Palettes - Camira

Camira Synergy 66 felts are 95% wool, 5% Nylon.



Contact Camira at <a href="memos@camiragroup.com">memos@camiragroup.com</a> for samples. Download color cards @ <a href="memos@camiragroup.com">www.camiragroup.com</a> for samples.



#### Felt Color Palettes - Gabriel

Gabriel Soul felts are 100% wool, Soul Melange felts are 84% wool/16% polyester.



Contact Gabriel at <u>mailUS@gabriel.dk</u> for samples. Download color cards here: <u>www.gabriel.dk</u>.



#### Felt Color Palettes - Guilford of Maine 9900

Guilford of Maine felts are 100% polyester (20% recycled content).



Contact Gabriel at <a href="mailUS@gabriel.dk">mailUS@gabriel.dk</a> for samples. Download color cards here: <a href="mailus@www.gabriel.dk">www.gabriel.dk</a> Contact Guilford of Maine at 800-544-0200 for samples. Download color card here: <a href="mailus@www.guilfordofmaine">www.guilfordofmaine</a>.

